


container for transport

MX 275 UN EVOH/ nat / 6" red TP, 2" vented cap
Butterfly valve, EPDM gkt, 2" male camlock (1 pc), steel pallet
2 plates, ticket , w/print "57325"

SCHÜTZ
200 Aspen Hill Road
North Branch, NJ 08876

Date: Sept 20, 2013
Page 1 of 2

Material number MX 4013719
 RMX 4014209



Technical data:

Rated volume:	275	gal
Overflow volume:	280	gal
Length:	48	in
Width:	40	in
Hight with pallet:	46	in
Filling opening:	6	in
Discharge opening:	2	in
Fork opening - height	3.5	in
Label plate:	2	piece
Corner Protector:	4	piece
Weight: approx	128(+/-3)	lbs

Packaging - Specification
container for transport



MX 275 UN EVOH/ nat / 6" red TP, 2" vented cap
Butterfly valve, EPDM gkt, 2" male camlock (1pc), steel pallet
2 plates , ticket , w/print "57325"

SCHÜTZ
200 Aspen Hill Road
North Branch, NJ 08876

Date: Sept 20, 2013
Page 2 of 2

Material number **MX 4013719**
 RMX 4014209

Construction:

Outer Container: Rectangular grid box made from tubular steel material, with bottom plate, closed with tie-bar, extra large (17"x 28") label plate with Schütz-Ticket on front side, additional extra large (17"x 28") label plate on the back side.

Material: Grid / Bottom Plate: Steel, galvanized against corrosion
 Corner Protector: 4 pieces made of HDPE, black

Inner Container: Rectangular blow molded tank of high density polyethylene (HDPE), with filling opening (6") in the middle of the top section. Valve opening in front section

Material: High Density Polyethylene – 6 layer EVOH barrier

Filling Opening: Filling opening 6" with external thread, closed with red screw cap, 2" plug with pressure relief vent and tamper evident seal cap. Screw cap secured with a tamper evident cable.

Material: Screw cap 6": HDPE, red
 O-ring gasket: TP
 G2-plug: HDPE
 O-ring 2"-plug: HDPE

Discharge Opening: Butterfly valve, EPDM gasket, 2" male camlock outlet w/tamper evident foil seal, 1pc dust cap.

Material: Housing butterfly-valve: HDPE
 Disk inside valve Polypropylene
 Flat gasket: EPDM
 Disk gasket Generic Teflon
 Dust cap: HDPE

Pallet: **Steel frame pallet** (1000 x 1200 mm), 4-way entry
Material: Galvanized steel tube

Colorent: Heavy-metal free

Delivery: Ready for filling, clean

UN-Marking: UN 31 HA1 / Y / USA / SCHUTZ

Customer Acceptance Signature: _____ Schuetz Initial: _____

Company: _____

