


container for transport

**MX 275 UN EX EVOH / nat / 6" red TP, 2" solid plug
Butterfly valve, FKM gasket, 2" male NPS (3pc), steel frame pallet
2 plates , ticket**

**SCHÜTZ
200 Aspen Hill Road
North Branch, NJ 08876**

**Date: June 2, 2014
Page 1 of 2**

Material number MX 4009011 RMX 4015006

**Technical data:**

Rated volume:	275	gal
Overflow volume:	280	gal
Length:	48	in
Width:	40	in
Height with pallet:	46	in
Filling opening:	6	in
Discharge opening:	2	in
Fork opening - height	3.5	in
Label plate:	2	piece
Corner Protector:	N/A	
Weight: approx	130	lbs

Packaging - Specification
container for transport



**MX 275 UN EX EVOH / nat / 6" red TP, 2" solid plug
Butterfly valve, FKM gasket, 2" male NPS (3pc), steel frame pallet
2 plates , ticket**

SCHÜTZ
200 Aspen Hill Road
North Branch, NJ 08876

Date: June 2, 2014
Page 2 of 2

Material number MX 4009011 RMX 4015006

Construction:

Outer Container: Rectangular grid box made from tubular steel material, with bottom plate, closed with tie-bar, label plate with Schütz -Ticket on front side, additional

Material: label plates on the back
Grid / Bottom Plate: Steel, galvanized against corrosion
Corner Protector: N/A

Inner Container: Rectangular blow molded tank of high density polyethylene (HDPE), with filling opening (6") in the middle of the top section. Valve opening in front section.

Material: High Density Polyethylene – EX – Antistatic + EVOH barrier layer.

Filling Opening: Filling opening 6" with external thread, closed with red screw cap, 2" plug with gasket.

Material: Screw cap 6": HDPE, red
O-ring gasket: TP
G2-plug: polypropylene
O-ring 2" plug: lucofin

Discharge Opening: Butterfly valve, FKM gaskets, 2" male NPS outlet, 3 pc dust cap.

Material: Housing butterfly-valve: HDPE
Disk inside valve Polypropylene
Flat gasket: FKM
Disc gasket:: polypropylene
Screw cap : HDPE
Grounding pin thru valve: Stainless Steel

Pallet: **Steel frame pallet** (1000 x 1200 mm), 4-way entry
Material: Galvanized steel tube

Colorant: Heavy-metal free

Delivery: Ready for filling, clean

UN-Marking: UN 31 HA1 / Y / USA / SCHUTZ

Customer Acceptance Signature: _____ Schuetz Initial: _____

